

L Number	Hits	Search Text	DB	Time stamp
1	1706	(slic or "line interface" or "loop intereface").ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/02 11:23
2	23	((slic or "line interface" or "loop intereface").ti.) and ("high impedance" or "high resistance").ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/02 08:36
3	49	(ring\$3 and (generat\$3 or circuit or signal\$4)).ti. and (loop and (impedance or resistance)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/02 09:07
4	26	((379/372).CCLS.) and ring\$3.ti.	USPAT	2003/07/02 09:07
5	17	((379/372).CCLS.) and (impedance or resistance).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/02 09:07
6	62	((ring\$3 or call\$3).ti.) and ((loop line feed) adj (resistance impedance)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/02 09:17
7	0	((slic or "line interface" or "loop intereface").ti.) and ("high impedance" or "high resistance").ab.) and ((ring\$3 and (generat\$3 or circuit or signal\$4)).ti. and (loop and (impedance or resistance)).ab.) and ((379/372).CCLS.) and ring\$3.ti.) and ((379/372).CCLS.) and (impedance or resistance).ab.) and ((ring\$3 or call\$3).ti.) and ((loop line feed) adj (resistance impedance)).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/02 12:19
9	27	(ringing and impulse and noise).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/02 11:23
14	8	4953206.URPN.	USPAT	2003/07/02 11:56
15	14	("1277025" "2212927" "2260296" "3309633" "3340364" "3535646" "3641357" "3736437" "4178480" "4456985" "4456986" "4546212" "4608686" "4640989").PN.	USPAT	2003/07/02 11:48

27	216	((((slic or "line interface" or "loop intereface").ti.) and ("high impedance" or "high resistance").ab.) ((ring\$3 and (generat\$3 or circuit or signal\$4)).ti. and (loop and (impedance or resistance)).ab.) (((379/372).CCLS.) and ring\$3.ti.) (((379/372).CCLS.) and (impedance or resistance).ab.) ((ring\$3 or call\$3).ti.) and ((loop line feed) adj (resistance impedance)).ab.)) or (((ringing and impulse and noise).ab.) not (((slic or "line interface" or "loop intereface").ti.) and ("high impedance" or "high resistance").ab.) ((ring\$3 and (generat\$3 or circuit or signal\$4)).ti. and (loop and (impedance or resistance)).ab.) (((379/372).CCLS.) and ring\$3.ti.) (((379/372).CCLS.) and (impedance or resistance).ab.) ((ring\$3 or call\$3).ti.) and ((loop line feed) adj (resistance impedance)).ab.))) or 4953206.URPN. or (("1277025" "2212927" "2260296" "3309633" "3340364" "3535646" "3641357" "3736437" "4178480" "4456985" "4456986" "4546212" "4608686" "4640989").PN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/02 11:57
----	-----	---	---	------------------

